


# ROSS GARDAM



Flexible, inviting and productive,  
the Adapt collection of lounges and  
accessories are designed to evolve  
with the dynamic needs of today's  
workspace.



The clean lines and subtle surfaces of the Adapt bring a softness and sense of the familiar into the workspace. Offering a diverse range of possible compositions ensures a cohesive design language can be created in any fitout. Adapt is made in Melbourne and was designed by Ross Gardam to perfectly service multiple sectors and applications.







With the ever changing demands of workspaces, Adapt is designed to transform with the individual needs of the space.







Adapt's modular nature allows components to be easily reconfigured, creating solutions now and for the future.

Based around five core elements with an economical base unit measuring 680 × 680mm (26.8" x 26.8"), each can sit alone or combine to create larger spaces in straight or curved configurations. The elements can be added to by simply attaching arms, backs, mid-height or full-height screens, desks and tables, creating near limitless possibilities.

A truly modular system with functionality at its core, Adapt caters for offices, receptions, universities, airports and hospitality spaces. Conceived for both small and large open-plan spaces, the collection can transform from small booths for study to large team training areas and anything in-between.



## DESIGN FEATURES <sup>01</sup>

The design intent was to ‘create a functional commercial product with residential junctions’. The breadth of functionality is a response to the demanding and complex environments of use. Adapt is compact but provides a high level of comfort with its well defined internal proportions.



### SOFTNESS

A 50mm radius is used throughout to soften the overall appearance and to make the collection approachable and inviting. An overstated French seam features heavily to bring a relaxed nature to the overall design.



### PRIVACY

With the addition of a mid-height screen the Adapt transforms into a more private space, a haven in busy environments. The option of a full-height screen creates total visual privacy and can provide a refuge for study and concentration.

### CONNECTION

Each screen features nodes enabling a simple installation process while creating a defined visual language that continues through to the lounge, table and desk legs.














### TENSION

A visual tension between cushions, a soft radius and a seam detail are all designed to create a distinctly residential design language paired with a high level of comfort.



## ADAPTABILITY <sup>02</sup>

Adapt consists of five core elements as shown below. Each can sit alone or combine in a modular configuration. Arms, backs, screens, desks and tables can be added or removed simply and easily on-site. The versatility this enables is illustrated to the right using one of the five core elements and additions.








With the addition of two types of curved elements, a 60° and 90° module, distinct break-out, meeting and training spaces can be created in a variety of configurations.




# EXAMPLE CONFIGURATIONS <sup>03</sup>




## 01 / CONFIGURATION

SINGLE AND THREE SEATER LOW-BACK LOUNGES  
CREATE A CASUAL LOUNGE SETTING




## 02 / CONFIGURATION

LOUNGES CAN BE JOINED TOGETHER TO CREATE  
LARGER CONFIGURATIONS OF VARYING HEIGHTS



## 03 / CONFIGURATION

JOINING 90 DEGREE LOUNGES CAN CREATE CLOSE  
MEETING SPACES WITH REAR DESKS PROVIDING  
ADDITIONAL WORKING SPACES





## 04 / CONFIGURATION

LARGER 60 DEGREE LOUNGES PROVIDE MORE  
SPACIOUS MEETING SPACES OR PLACES FOR  
WORKING WITH PIVOTING TABLES ENABLING  
MOVABLE WORK SURFACES




## 05 / CONFIGURATION

HIGH-BACK LOUNGES AVAILABLE IN SINGLE SCREEN OR DOUBLE-SCREEN VARIATIONS - BOTH WITH THE SAME HEIGHT




## 07 / CONFIGURATION

LOW-BACK LOUNGES CAN SIT BACK TO BACK IN ROWS FOR ENVIRONMENTS SUCH AS WAITING ROOMS OR AIRPORTS



## 06 / CONFIGURATION


COMBINING MULTIPLE CURVED LOUNGES CREATES SNAKING SPACES OF VARYING HEIGHTS



## 08 / CONFIGURATION


OPEN PLAN SEATING USING STRAIGHT AND CURVED UNITS WITH SIDE TABLES USED TO BREAK UP THE SPACES





## 09 / CONFIGURATION


BACK TO BACK LOUNGING IN DIFFERENT HEIGHTS  
WITH PIVOTING TABLES FOR WORKING



## 10 / CONFIGURATION


CURVED LOUNGES THAT CAN BE JOINED FOR  
INTIMATE MEETINGS OR SEPARATED FOR MORE  
PRIVATE WORK SPACES

AB90-R



## 11 / CONFIGURATION


USING REVERSE CURVED UNITS TO CREATE OUTWARD  
ISLAND SEATING



## 12 / CONFIGURATION

COMBINING CURVED AND REVERSE CURVED UNITS  
TO ENABLE SEATING ON ONE CONTINUOUS SIDE




TABLES <sup>04</sup>

The **Adapt Side Table** is designed for use in various configurations. Refer to above arrangements for available table locations and required leg and brace quantities for each table type.

The **Adapt Pivoting Table** attaches to the lounge underside and pivots horizontally to position as desired while the **Universal Table** is a mobile working surface that can be moved and used in all seating locations.


POWER <sup>05</sup>

## UNDER LOUNGE



A power / USB module can be located to the underside of any of the lounge or ottoman options. This allows simple plug and play with any lounge types and configurations.

## BACK OF LOUNGE




A built-in power / USB module can be located directly into the rear of any back. This offers an ideal location to power up while using the rear desks of the Adapt collection.




# DETAILS <sup>06</sup>

## JOINING LEG



The **Joining Leg** can be used to join multiple modules together in a banquet-style seating arrangement while reducing the amount of legs required in a setting. Used in place where both front and rear legs are to be joined. Note: lounges become permanently connected.

## SUPPORT LEG





The **Support Leg** can be added to the centre underside of all 2 and 3 seater lounges, as well as 60° and 90° modules for additional structural strength where required.


## STABILITY REQUIREMENTS

(HIGH-BACK LOUNGE ONLY)

*Back-Only* and *Single-Arm* High-Back straight modules should be supported from both ends with under lounge joiners and straight screen brackets. This can be achieved through joining to other modules with arms in an 'L' or linear configuration\*.



If High-Back straight modules are not supported from both ends, they will require angled **Stability Legs** (please get in contact for details).




\*Note applies to Back-Only and Single-Arm High-Back straight modules only. Please see Specifications on following pages for applicable lounges.




SPECIFICATIONS <sup>07</sup>


ADAPT OTTOMAN




AO1  
W 725 D 680 H 440




AO2  
W 1360 D 680 H 440



AO3  
W 2040 D 680 H 440




AO90  
W 1480 D 1480 H 440 IR 800




AO60  
W 1610 D 1265 H 440 IR 1200

ADAPT LOW-BACK LOUNGE


WITH BACK




AB1  
W 725 D 730 H 700 S 440




AB2  
W 1360 D 730 H 700 S 440




AB3  
W 2040 D 730 H 700 S 440




AB90  
W 1530 D 1530 H 700  
S 440 IR 800



AB60  
W 1660 D 1315 H 700  
S 440 IR 1200




AB90-R  
W 1480 D 1480 H 700  
S 440 IR 800




AB60-R  
W 1610 D 1315 H 700  
S 440 IR 1200


CORNER / WITH SINGLE ARM



AC1-R/L^A  
W 730 D 730 H 700 S 440




AA2-R/L\*  
W 1410 D 730 H 700 S 440




AA3-R/L\*  
W 2090 D 730 H 700 S 440


LOUNGE



AL1  
W 825 D 730 H 700 S 440



AL2  
W 1460 D 730 H 700 S 440




AL3  
W 2140 D 730 H 700 S 440

\*R or L refers to Right or Left arm location. Arm location is defined while sitting on lounge.  
Dimensions shown in millimetres (mm) and are indicative. For projects requiring specific dimensions, please get in contact.




ADAPT MID-BACK LOUNGE


WITH BACK




AMB1  
W 725 D 730 H 1025 S 440




AMB2  
W 1360 D 730 H 1025 S 440




AMB3  
W 2040 D 730 H 1025 S 440




AMB90  
W 1530 D 1530 H 1025  
S 440 IR 800



AMB60  
W 1660 D 1315 H 1025  
S 440 IR 1200




AMB90-R  
W 1480 D 1480 H 1025  
S 440 IR 800



AMB60-R  
W 1610 D 1315 H 1025  
S 440 IR 1200


CORNER / WITH SINGLE ARM



AMC1-R/L\*^  
W 730 D 730 H 1025 S 440




AMA2-R/L\*  
W 1410 D 730 H 1025 S 440




AMA3-R/L\*  
W 2090 D 730 H 1025 S 440


LOUNGE



AML1  
W 825 D 730 H 1025 S 440




AML2  
W 1460 D 730 H 1025 S 440




AML3  
W 2140 D 730 H 1025 S 440

ADAPT HIGH-BACK (SINGLE SCREEN) LOUNGE


WITH BACK




AHB1-S#  
W 725 D 730 H 1350 S 440




AHB2-S#  
W 1360 D 730 H 1350 S 440




AHB3-S#  
W 2040 D 730 H 1350 S 440




AHB90-S  
W 1530 D 1530 H 1350  
S 440 IR 800



AHB60-S  
W 1660 D 1315 H 1350  
S 440 IR 1200




AHB90-R-S  
W 1480 D 1480 H 1350  
S 440 IR 800




AHB60-R-S  
W 1610 D 1315 H 1350  
S 440 IR 1200


CORNER / WITH SINGLE ARM



AHC1-S-R/L\*#^  
W 730 D 730 H 1350 S 440



AHA2-R/L\*#^  
W 1410 D 730 H 1350 S 440




AHA3-S-R/L\*#  
W 2090 D 730 H 1350 S 440


LOUNGE



AHL1-S  
W 825 D 730 H 1350 S 440



AHL2-S  
W 1460 D 730 H 1350 S 440




AHL3-S  
W 2140 D 730 H 1350 S 440

\*R or L refers to Right or Left arm location. Arm location is defined while sitting on lounge.  
#High-Back modules should be supported from both ends, achieved through joining to other modules in an 'L' or linear configuration. Alternatively, angled rear legs will need to be used  
Dimensions shown in millimetres (mm) and are indicative. For projects requiring specific dimensions, please get in contact.




ADAPT HIGH-BACK (DOUBLE SCREEN) LOUNGE


WITH BACK




AHB1-D#  
W 725 D 730 H 1350 S 440




AHB2-D#  
W 1360 D 730 H 1350 S 440




AMB3-D#  
W 2040 D 730 H 1350 S 440




AHB90-D  
W 1530 D 1530 H 1350  
S 440 IR 800



AHB60-D  
W 1660 D 1315 H 1350  
S 440 IR 1200




AHB90-R-D  
W 1480 D 1480 H 1350  
S 440 IR 800




AB60-R-D  
W 1610 D 1285 H 1315  
S 440 IR 1200


CORNER / WITH SINGLE ARM



AHC1-D-R/L\*\*^  
W 730 D 730 H 1350 S 440




AHA2-D-R/L\*\*^  
W 1410 D 730 H 1350 S 440




AHA3-D-R/L\*\*^  
W 2090 D 730 H 1350 S 440


LOUNGE



AHL1-D  
W 825 D 730 H 1350 S 440




AHL2-D  
W 1460 D 730 H 1350 S 440




AHL3-D  
W 2140 D 730 H 1350 S 440


REAR DESK




AD2-720  
W 1360 D 325 H 720




AD2-900  
W 1360 D 325 H 900



AD3-720  
W 2040 D 325 H 720




AD3-900  
W 2040 D 325 H 900




AD90-720  
W 2550 D 750 H 720



AD90-900  
W 2550 D 750 H 900




AD60-720  
W 2200 D 570 H 720




AD60-900  
W 2200 D 570 H 900


SIDE TABLE




MOVABLE TABLE  
AT-310-A  
W 675 D 675 H 310



END TABLE  
AT-310-B  
W 675 D 675 H 310



SUSPENDED TABLE  
AT-310-C  
W 675 D 675 H 310




CORNER TABLE  
AT-310-D  
W 675 D 675 H 310

\*R or L refers to Right or Left arm location. Arm location is defined while sitting on lounge.  
#High-Back modules should be supported from both ends, achieved through joining to other modules in an 'L' or linear configuration. Alternatively, angled rear legs will need to be used  
Dimensions shown in millimetres (mm) and are indicative. For projects requiring specific dimensions, please get in contact.




ACCESSORIES

UNIVERSAL/PIVOTING TABLE



UNIVERSAL TABLE

AT-450  
W 450 D 450 H 650



PIVOTING TABLE

AT-350  
W 350 D 350 H 480

ROUND OTTOMAN



ROUND OTTOMAN Ø500

AR-500  
W 500 D 500 H 450



ROUND OTTOMAN Ø900

AR-900  
W 900 D 900 H 410

OPTIONAL COMPONENTS



JOINING LEG

AJL  
W 278 D 115 H 255



STABILITY LEG

ASTL  
W 115 D 115 H 255




SUPPORT LEG

ASUL  
W 90 D 64 H 255



FIXED LEG

AFL  
W 115 D 115 H 255



ARM/SINGLE BACKREST

ABA^  
W 140 D 680 H 500

^Used with Adapt Ottomans to create single backrests  
Dimensions shown in millimetres (mm) and are indicative. For projects requiring specific dimensions, please get in contact.

TECHNICAL<sup>08</sup>

AVAILABLE FINISHES

LOUNGE



CUSTOM  
UPHOLSTERY



CUSTOM  
LEATHER



BLACK  
POWDER COAT  
LEG/DETAILS



WHITE  
POWDER COAT  
LEG/DETAILS

DESK / TOP & LEGS



BLACK  
LAMINATE  
TOP



WHITE  
LAMINATE  
TOP



BLACK  
POWDER COAT  
LEG



WHITE  
POWDER COAT  
LEG

SIDE TABLE / TOP & LEG



BLACK  
LAMINATE  
TOP



BLACK  
MIRROR  
TOP



BLACK  
POWDER COAT  
LEG/FRAME



WHITE  
POWDER COAT  
LEG/FRAME

UNIVERSAL & PIVOTING TABLE



BLACK  
POWDER  
COATED MDF /  
STEEL

MATERIALS & POWER

LOUNGE

**INTERNAL FRAME** / The internal frame is constructed from kiln-dried hardwood and plywood. The seat utilises metal springs for support, creating a high level of comfort and ensuring long-term endurance.

**BACK & ARM** / The back and arms are constructed from plywood (lounge) or tubular steel and plywood (mid-back lounge/high-back lounge/curved modules). Each back and arm has a unique attachment bracket located under the lounge making the changing of components as simple as removing four bolts.

**SEAT CUSHION AND UPHOLSTERY** / Formed from shaped polyurethane foam of different densities and polyethylene terephthalate (PET) to create a supportive yet comfortable seat. Upholstery and leathers are available in a range of varying textures, durability and tactility properties. Upholstery is selected at the time of ordering.

**LEGS, NODES AND DETAILS** / Made from tubular powder coated steel, steel plate and plastic feet for leg inserts.

DESK

**DESK TOP** / Available in 18mm laminate with custom materials available upon request (see Finishes above). Each rear mounted desk requires two or three rear legs to support the desk top and a central support bracket which sits under the centre of the desk (on three seater straight modules). The smaller rear legs of the lounge are then removed as the entire lounge is supported by the desk legs.

**DESK LEGS AND BRACKET** / Constructed from tubular powder coated steel, powder coated steel plate and plastic feet for leg inserts.

SIDE TABLE

**TABLE TOP** / Available in laminate and black mirror as a standard with custom finishes including timber veneer available upon request (see Finishes above). The table is available in multiple configurations (see following pages) and can be easily attached to any lounge via use of the simple Adapt connectors which bolt into the underside of the lounge - or with four legs for a movable table.

**LEGS AND EDGE** / Manufactured from tubular powder coated steel, powder coated steel bar and plastic feet for leg inserts.

UNIVERSAL/PIVOTING TABLE

**TABLE TOP** / Available in black powder coated MDF with other materials available upon request.

**TABLE BASE** / Constructed from tubular powder coated steel and powder coated sheet with a felt bottom (Universal Table).

POWER INTEGRATION

Various integrated power solutions are available within the Adapt collection. A power / USB module can be located to the underside of any of the lounge or ottoman options. This allows simple plug and play within the internal of any of the lounge settings.

A built in power / USB module can be located directly into the rear of any back. This offers an ideal location to power up while using the rear desks (see following pages).

ENVIRONMENTAL


Adapt Lounges are made in Melbourne and fully GECA certified - FFG-200026. Under GECA, products are certified against environmental performance criteria across its life cycle to ensure they deliver better environmental outcomes.












Designed with the same clean lines and soft surfaces of the Adapt Lounge, the Adapt Hub creates spaces for meetings, work collaboration and private areas for focused work.









As a stand alone unit, the Adapt Hub can be placed in existing spaces without need for built partitions or screens, allowing seamless integration into interiors and to the changing requirements of the space.




A modular system with functionality at its core, Adapt Hub caters for offices, universities, airports and hospitality spaces. Conceived for both small and large open-plan spaces, the Hub is available from small 2 seater private study booths to large 6 seater presentation and collaboration spaces as well as in various heights, widths, table options and with optional accessories.




# EXAMPLE CONFIGURATIONS <sup>01</sup>






## 05 / CONFIGURATION

A FOUR SEATER HUB IN BACK-BACK FORM  
WITHOUT ARMS PROVIDES A MORE PRIVATE  
SPACE FOR MEETINGS




## 07 / CONFIGURATION

HIGH-BACK HUB WITHOUT ARMS TO PROVIDE A  
SPACE FOR LARGER MEETINGS



## 06 / CONFIGURATION


HIGH-BACK HUB WITH ARMS ENABLES EVEN MORE  
PRIVACY, PERFECT FOR WORKING AND SMALL  
PRIVATE MEETINGS




## 08 / CONFIGURATION

THE ADDITION OF A TV SCREEN AND IN-DESK  
POWER MODULES HELP ENABLE SEAMLESS  
MEETINGS




DETAILS <sup>02</sup>

A small shelf runs between both lounges, providing a space to store stationery, magazines and other office supplies.

POWER <sup>03</sup>

GPO Power, USB and wireless induction charging can be integrated directly into the table top.


Shown with 3 x CMS Echo 60mm units however alternative in-desk power units available.




Cabling from any in-desk power modules and TV screen run along hidden channel and exit under either lounge to be connected to interconnecting softwiring or a power point.

SPECIFICATIONS 04


1. SELECT SEATING REQUIREMENTS




2. SELECT WIDTH




3. SELECT HEIGHT




4. SELECT WITH OR WITHOUT ARMS



5. SELECT TABLE STYLE (IF REQUIRED)\*



6. ADDITIONAL HUB OPTIONS



TV SCREEN MOUNT WITH UPHOLSTERED CABLE COVER




IN-TABLE POWER MODULES (ALTERNATIVE POWER AVAILABLE)

\*Table dimensions based on specific Hub selected




2 SEATER LOW-BACK



2 SEATER LOW-BACK  
2185MM W/O ARMS

ALBT2-2150-NA  
W 2185 / D 775  
H 700 / S 440




2 SEATER LOW-BACK  
2185MM W/ ARMS

ALBT2-2150-ARM  
W 2185 / D 825  
H 700 / S 440



2 SEATER LOW-BACK  
2335MM W/O ARMS


ALBT2-2335-NA  
W 2335 / D 775  
H 700 / S 440



2 SEATER LOW-BACK  
2335MM W/ ARMS


ALBT2-2335-ARM  
W 2335 / D 825  
H 700 / S 440

4 SEATER LOW-BACK




4 SEATER LOW-BACK  
2185MM W/O ARMS

ALBT4-2150-NA  
W 2185 / D 1410  
H 700 / S 440




4 SEATER LOW-BACK  
2185MM W/ ARMS

ALBT4-2150-ARM  
W 2185 / D 1460  
H 700 / S 440



4 SEATER LOW-BACK  
2335MM W/O ARMS


ALBT4-2335-NA  
W 2335 / D 1410  
H 700 / S 440



4 SEATER LOW-BACK  
2335MM W/ ARMS


ALBT4-2335-ARM  
W 2335 / D 1460  
H 700 / S 440

6 SEATER LOW-BACK




6 SEATER LOW-BACK  
2185MM W/O ARMS

ALBT6-2150-NA  
W 2185 / D 2090  
H 700 / S 440




6 SEATER LOW-BACK  
2185MM W/ ARMS

ALBT6-2150-ARM  
W 2185 / D 2140  
H 700 / S 440



6 SEATER LOW-BACK  
2335MM W/O ARMS

ALBT6-2335-NA  
W 2335 / D 2090  
H 700 / S 440



6 SEATER LOW-BACK  
2335MM W/ ARMS

ALBT6-2335-ARM  
W 2335 / D 2140  
H 700 / S 440

Hub tables ordered separately (where available).  
Dimensions shown are indicative. For projects requiring specific dimensions, please get in contact.



2 SEATER MID-BACK




2 SEATER MID-BACK  
2185MM W/O ARMS

AMBT2-2185-NA  
W 2185 / D 775  
H 1025 / S 440




2 SEATER MID-BACK  
2185MM W/ ARMS

AMBT2-2185-ARM  
W 2185 / D 825  
H 1025 / S 440



2 SEATER MID-BACK  
2335MM W/O ARMS


AMBT2-2335-NA  
W 2335 / D 775  
H 1025 / S 440



2 SEATER MID-BACK  
2335MM W/ ARMS


AMBT2-2335-ARM  
W 2335 / D 825  
H 1025 / S 440

4 SEATER MID-BACK




4 SEATER MID-BACK  
2185MM W/O ARMS

AMBT4-2185-NA  
W 2185 / D 1410  
H 1025 / S 440




4 SEATER MID-BACK  
2185MM W/ ARMS

AMBT4-2185-ARM  
W 2185 / D 1460  
H 1025 / S 440



4 SEATER MID-BACK  
2335MM W/O ARMS

AMBT4-2335-NA  
W 2335 / D 1410  
H 1025 / S 440



4 SEATER MID-BACK  
2335MM W/ ARMS

AMBT4-2335-ARM  
W 2335 / D 1460  
H 1025 / S 440

6 SEATER MID-BACK



6 SEATER MID-BACK  
2185MM W/O ARMS

AMBT6-2185-NA  
W 2185 / D 2090  
H 1025 / S 440



6 SEATER MID-BACK  
2185MM W/ ARMS

AMBT6-2185-ARM  
W 2185 / D 2140  
H 1025 / S 440



6 SEATER MID-BACK  
2335MM W/O ARMS

AMBT6-2335-NA  
W 2335 / D 2090  
H 1025 / S 440




6 SEATER MID-BACK  
2335MM W/ ARMS

AMBT6-2335-ARM  
W 2335 / D 2140  
H 1025 / S 440


Hub tables ordered separately (where available).  
Dimensions shown are indicative. For projects requiring specific dimensions, please get in contact.

2 SEATER HIGH-BACK (SINGLE SCREEN)



2 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/O ARMS

AHBT2-S-2185-NA  
W 2185 / D 775  
H 1350 / S 440



2 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/ ARMS

AHBT2-S-2185-ARM  
W 2185 / D 825  
H 1350 / S 440



2 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/O ARMS

AHBT2-S-2335-NA  
W 2335 / D 775  
H 1350 / S 440



2 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/ ARMS

AHBT2-S-2335-ARM  
W 2335 / D 825  
H 1350 / S 440

4 SEATER HIGH-BACK (SINGLE SCREEN)



4 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/O ARMS

AHBT4-S-2185-NA  
W 2185 / D 1410  
H 1350 / S 440



4 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/ ARMS

AHBT4-S-2185-ARM  
W 2185 / D 1460  
H 1350 / S 440



4 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/O ARMS

AHBT4-S-2335-NA  
W 2335 / D 1410  
H 1350 / S 440



4 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/ ARMS

AHBT4-S-2335-ARM  
W 2335 / D 1460  
H 1350 / S 440

6 SEATER HIGH-BACK (SINGLE SCREEN)



6 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/O ARMS

AHBT6-S-2185-NA  
W 2185 / D 2090  
H 1350 / S 440



6 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2185MM W/ ARMS

AHBT6-S-2185-ARM  
W 2185 / D 2140  
H 1350 / S 440



6 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/O ARMS

AHBT6-S-2335-NA  
W 2335 / D 2090  
H 1350 / S 440



6 SEATER HIGH-BACK  
(SINGLE SCREEN)  
2335MM W/ ARMS

AHBT6-S-2335-ARM  
W 2335 / D 2140  
H 1350 / S 440

Hub tables ordered separately (where available).  
Dimensions shown are indicative. For projects requiring specific dimensions, please get in contact.



2 SEATER HIGH-BACK (SINGLE SCREEN)



2 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/O ARMS

AHBT2-D-2185-NA  
W 2185 / D 775  
H 1350 / S 440



2 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/ ARMS

AHBT2-D-2185-ARM  
W 2185 / D 825  
H 1350 / S 440



2 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/O ARMS


AHBT2-D-2335-NA  
W 2335 / D 775  
H 1350 / S 440



2 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/ ARMS

AHBT2-D-2335-ARM  
W 2335 / D 825  
H 1350 / S 440

4 SEATER HIGH-BACK (SINGLE SCREEN)



4 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/O ARMS

AHBT4-D-2185-NA  
W 2185 / D 1410  
H 1350 / S 440



4 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/ ARMS

AHBT4-D-2185-ARM  
W 2185 / D 1460  
H 1350 / S 440



4 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/O ARMS


AHBT4-D-2335-NA  
W 2335 / D 1410  
H 1350 / S 440



4 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/ ARMS


AHBT4-D-2335-ARM  
W 2335 / D 1460  
H 1350 / S 440

6 SEATER HIGH-BACK (SINGLE SCREEN)




6 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/O ARMS

AHBT6-D-2185-NA  
W 2185 / D 2090  
H 1350 / S 440




6 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2185MM W/ ARMS

AHBT6-D-2185-ARM  
W 2185 / D 2140  
H 1350 / S 440



6 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/O ARMS

AHBT6-D-2335-NA  
W 2335 / D 2090  
H 1350 / S 440



6 SEATER HIGH-BACK  
(DOUBLE SCREEN)  
2335MM W/ ARMS

AHBT6-D-2335-ARM  
W 2335 / D 2140  
H 1350 / S 440

Hub tables ordered separately (where available).  
Dimensions shown are indicative. For projects requiring specific dimensions, please get in contact.





PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM & MR.P STUDIOS - MRPSTUDIOS.COM  
COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.  
COPYRIGHT ©2020 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT  
ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL  
PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.