


ROSS GARDAM



Ceto captures the variation and rippling of the surface of the ocean. Each piece reflects a unique pattern, emitting a delicate luminosity, highlighting the presence of the sea.



The Ceto collection defines a new universal language for decorative lighting. The various configurations of the Ceto light all share a delicate balance between the organic glass elements and the machined aluminium components. Each light source appears to be simply pressed onto the supporting tube with no visible connections. This ingenious connection method takes on an organic form and gives the product an overarching lightness.

This sculptural luminaire spans chandeliers, floor lamps, wall lighting, and pendant varieties, cumulating in the most extensive collection the Melbourne based studio has produced to date.










IMAGE /
LEFT / CF3 BLACK/FROSTED BLACK
RIGHT / CF2 CHAMPAGNE/WHITE
BOTTOM / CF1 CHAMPAGNE/CLEAR






CETO FLOOR LAMP



CF1
 Ø 300MM H 1540MM
 Ø 11.8" H 60.6"



CF2
 Ø 300MM H 1840MM
 Ø 11.8" H 76.4"



CF3
 Ø 300MM H 1840MM
 Ø 11.8" H 76.4"



IMAGE /

TOP LEFT / RIGHT - CW1 BLACK/FROSTED BLACK, CHAMPAGNE/WHITE, BLACK/BLACK, CHAMPAGNE/CLEAR GLASS
MIDDLE LEFT / RIGHT - CWL1 BLACK/FROSTED BLACK, CHAMPAGNE/WHITE, BLACK/BLACK, CHAMPAGNE/CLEAR GLASS
BOTTOM LEFT / RIGHT - CWL2 BLACK/FROSTED BLACK, CHAMPAGNE/WHITE, BLACK/BLACK, CHAMPAGNE/CLEAR GLASS



CETO WALL LIGHT



CW1
Ø 200MM D 87MM
Ø 7.9" D 3.4"



CWL1
W 200MM H 400MM D 107MM
W 7.9" H 15.8" D 4.2"




CWL2
W 200MM H 650MM D 107MM
W 7.9" H 25.6" D 4.2"



IMAGE /
TOP LEFT / RIGHT - CP1 CHAMPAGNE/WHITE, BLACK/BLACK
BOTTOM LEFT / RIGHT - CP1 CHAMPAGNE/CLEAR GLASS, BLACK/FROSTED BLACK






CETO PENDANT



CP1
 Ø 200MM H 105MM
 Ø 7.9" H 4.1"



CP3
 Ø 410MM H 115MM
 Ø 16.1" H 4.5"



CP7
 Ø 588MM H 130MM
 Ø 23.2" H 5.1"



IMAGE /
CV3 CHAMPAGNE/WHITE DETAIL






CETO VERTICAL CHANDELIER




CV1
L 200MM W 200MM H 440MM[^]
L 7.9" W 7.9" H 17.3"[^]



CV2
L 200MM W 200MM H 840MM[^]
L 7.9" W 7.9" H 33"[^]



CV3
L 200MM W 200MM H 1240MM[^]
L 7.9" W 7.9" H 49"[^]



CVC*
L 200MM W 200MM H XXXMM[^]
L 7.9" W 7.9" H XXX"[^]

* CUSTOM CONFIGURATIONS AVAILABLE UPON REQUEST

[^] HANG HEIGHT NEEDS TO BE CONFIRMED PRIOR TO PRODUCTION


H INDICATES MINIMUM DROP HEIGHT (CEILING TO BOTTOM OF TUBE)




IMAGE /
TOP / CH12S BLACK/BLACK
BOTTOM LEFT / RIGHT - CHC CHAMPAGNE/WHITE, CH14L BLACK/FROSTED BLACK




CETO HORIZONTAL CHANDELIER - SINGLE




CH12S
L 866MM W 174MM H 200MM^
L 35" W 6.9" H 7.9"^




CH14S
L 866MM W 174MM H 200MM^
L 35" W 6.9" H 7.9"^



CH12L
L 866MM W 174MM H 200MM^
L 35" W 6.9" H 7.9"^



CH14L
L 866MM W 174MM H 200MM^
L 35" W 6.9" H 7.9"^



CHC*
L 866MM W XXXMM H XXXMM^
L 35" W XXX" H XXX"^

* CUSTOM CONFIGURATIONS AVAILABLE UPON REQUEST

^ HANG HEIGHT NEEDS TO BE CONFIRMED PRIOR TO PRODUCTION

H INDICATES MINIMUM HANG HEIGHT (CEILING TO BOTTOM OF GLASS)






IMAGE /
CH24S BLACK/FROSTED BLACK DETAIL




IMAGE /
CH23S CHAMPAGNE/CLEAR




CETO HORIZONTAL CHANDELIER - DOUBLE




CH23S*
L 1306MM W 200MM H 200MM^
L 51.4" W 7.9" H 7.9"^^
CEILING CANOPY SPACING L 440MM / 17.32"



CH23L*
L 1706MM W 200MM H 200MM^
L 67.2" W 7.9" H 7.9"^^
CEILING CANOPY SPACING L 840MM / 33.07"



CH24S*
L 1706MM W 200 MM H 200MM^
L 67.2" W 7.9" H 7.9"^^
CEILING CANOPY SPACING L 840MM / 33.07"



CH24L*
L 2106MM W 200MM H 200MM^
L 83" W 7.9" H 7.9"^^
CEILING CANOPY SPACING L 1240MM / 48.82"

* CUSTOM CONFIGURATIONS AVAILABLE UPON REQUEST

^ HANG HEIGHT NEEDS TO BE CONFIRMED PRIOR TO PRODUCTION

H INDICATES MINIMUM HANG HEIGHT (CEILING TO BOTTOM OF GLASS)



TECHNICAL CETO COLLECTION

AVAILABLE FINISHES

GLASS



FROSTED
BLACK



BLACK



CLEAR



WHITE

BODY



BLACK
ANODISED
ALUMINIUM



CHAMPAGNE
ANODISED
ALUMINIUM

FLOOR LAMP BASE



BLACK
POWDER COAT

ELECTRICAL

LAMPING

THE CETO COLLECTION IS AVAILABLE IN TWO DIFFERENT LAMPING TECHNOLOGIES, SEE BELOW FOR MORE DETAILS OR REACH OUT THE THE STUDIO FOR MORE INFORMATION.

OPTION 1 - SELV 60V LOW VOLTAGE -
4W LED MODULE, 300-420 LUMEN RANGE PER LIGHT SOURCE. 3000K WARM WHITE, DIMMABLE. EXTERNAL DRIVER INCLUDED.

OPTION 2 - 120V / 230V FULL VOLTAGE -
4W AC LED MODULE, 380 LUMEN PER LIGHT SOURCE. 3000K WARM WHITE, DIMMABLE. DIRECT MAINS CONNECTION.

ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.

LIFESPAN

50,000 HOURS.

CONTROL

OPTION 1 - SELV 60V LED MODULE - EXTERNAL DRIVER REQUIRED.
PHASE (TRAILING EDGE/LEADING EDGE) - DIMMING RANGE 5 - 100%.
DIGITAL / SMART SYSTEMS (DALI) - DIMMING RANGE 5 - 100%.
1-10V - DIMMING RANGE 5 - 100%.
0-10V - NOT COMPATIBLE.

OPTION 2 - 130V / 230V LED MODULE - DIRECT MAINS CONNECTION.
PHASE (TRAILING EDGE/LEADING EDGE) - DIMMING RANGE 5 - 100%.
DIGITAL / SMART SYSTEMS (DALI/CBUS) - NON-DIMMABLE, ON/OFF FUNCTIONALITY ONLY VIA DALI SWITCH.
1-10V / 0-10V - NOT COMPATIBLE.

**FOR OPTIMAL DIMMING PERFORMANCE WE RECOMMEND SOURCING A ROTARY OR PUSH BUTTON DIMMER WITH ADJUSTMENT CAPABLE OF SETTING THE DIMMING RANGE OF THE FIXTURE.

THE CETO FLOOR LIGHT COMES SUPPLIED WITH A FLOOR DIMMER SWITCH. AVAILABLE REGIONAL PLUG/SOCKET TYPES - B, G, I.

IP RATING

IP20 - FOR INDOOR USE ONLY.

CERTIFICATION

AS/NZS - 60598.2.1 (FIXED LIGHTING) & 60598.2.4 (FLOOR LAMP)
EN - 60598.2.1 (FIXED LIGHTING) & 60598.2.4 (FLOOR LAMP)
UL - 1598, CSA C22.2#250.0 (FIXED LIGHTING)
UL TESTING AVAILABLE UPON REQUEST (FLOOR LIGHTING)

MATERIALS

GLASS

EACH PIECE OF GLASS HAS BEEN HAND-BLOWN BY LOCAL ARTISANS. AS A RESULT OF THIS PROCESS EACH SHADE HAS ITS OWN CHARACTER AND SUBTLE VARIATION.

BODY

THE ALUMINIUM BODY HAS BEEN MACHINED BY QUALITY DRIVEN LOCAL MANUFACTURERS AND THEN HAND FINISHED BY OUR IN-HOUSE WORKSHOP TECHNICIANS.

CABLE

ALL EXPOSED ELECTRICAL CABLE IS DOUBLE INSULATED AND COVERED BY A DURABLE BLACK OR WHITE CLOTH COVER.

FLOOR LIGHT BASE

THE WEIGHTED BASE IS FINISHED WITH A BLACK POWDER COAT AND HAS A DURABLE FELT COVERED UNDERSIDE TO PREVENT ANY DAMAGE TO ITSELF OR THE FLOOR IT RESTS ON.





ROSS GARDAM

PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM

COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.

COPYRIGHT ©2020 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.