

ROSS GARDAM



Méne celebrates our sense of awe with the celestial. The objects appear like a lunar apparition, delicately floating in mid-air.



Crafted with mouth blown glass, the collection reveals the individual and unique texture of subtly illuminated glass. Méne's rippled form is the result of the studio's continual experimentations with traditional optic glass blowing techniques and innovative engineering. The result is a one of a kind glass texture within every luminaire produced.









IMAGE /

LEFT / MÉNE PENDANT - FROSTED CLEAR GLASS
RIGHT / MÉNE TABLE LAMP - CLEAR GLASS
FAR RIGHT / MÉNE PENDANT - CLEAR GLASS



IMAGE /

FAR LEFT / MÉNE TABLE LAMP - FROSTED BLACK GLASS

TOP LEFT / RIGHT - MÉNE TABLE LAMP - FROSTED CLEAR GLASS, MÉNE PENDANT - CLEAR GLASS

BOTTOM LEFT / RIGHT - MÉNE PENDANT - FROSTED CLEAR GLASS, MÉNE TABLE LAMP - FROSTED BLACK GLASS




IMAGE /

FAR LEFT / MÉNE TABLE LAMP - FROSTED CLEAR GLASS
RIGHT / MÉNE PENDANT - FROSTED CLEAR GLASS






MÉNE



MP
Ø440 H 315
Ø15" H11"



ML
Ø440 H 430
Ø15" H15"



TECHNICAL MÉNE

AVAILABLE FINISHES

GLASS



BLACK
GLASS



FROSTED BLACK*
GLASS



CLEAR
GLASS



FROSTED CLEAR
GLASS

BODY



CHAMPAGNE
ANODISED

MATERIAL	ANODISED ALUMINIUM, GLASS	CORD	PENDANT - 3M / 9'10" CLEAR COAXIAL CABLE
LAMPING (PENDANT)	SELV 60V (EXTERNAL DRIVER SUPPLIED) 8.5W, 1150 LUMEN, 3000K 220-240V REGIONS DIMMING OPTIONS · PHASE - DIMMING RANGE 5 - 100% · DALI - DIMMING RANGE 1 - 100% 110-120V REGIONS DIMMING OPTIONS · DALI - DIMMING RANGE 0 - 100% · 0-10V - DIMMING RANGE 0 - 100% · 1-10V - DIMMING RANGE 0 - 100% · PWM - DIMMING RANGE 0 - 100% · RX - DIMMING RANGE 0 - 100% · PUSH DIM - DIMMING RANGE 0 - 100% ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS. IF THE CEILING CAVITY CANNOT HOUSE THE DRIVER PLEASE CONTACT THE STUDIO FOR FURTHER OPTIONS. FOR OPTIMAL DIMMING PERFORMANCE WE RECOMMEND SOURCING A DIMMER CAPABLE OF SETTING THE DIMMING RANGE OF THE FIXTURE.	TABLE LAMP - BLACK CLOTH WITH IN-LINE PUSH-DIM SWITCH AND AS/NZS STANDARD PLUG. USA/CAN NEMA-1, 2-PIN PLUG SUPPLIED FOR NORTH AMERICA/CANADA. LONGER LENGTHS AVAILABLE UPON REQUEST.	
		SUSPENSION	3M / 9'10" Ø1.2MM STAINLESS STEEL WIRE LONGER LENGTHS AVAILABLE UPON REQUEST
		CANOPY	Ø120 X 30MM CEILING CANOPY. CIRCULAR FINISH AND ANODISED TO MATCH. MOUNTING HOLES TO SUIT STANDARD 4" JUNCTION BOXES FOR THE US/CAN REGION. AN OPTIONAL Ø170 X 40MM CEILING CANOPY IS AVAILABLE WHEN DRIVERS CANNOT BE HOUSED WITHIN A CEILING/WALL/SITE CAVITY.
		PRODUCT CODES SKU	EG. MP.G-FCL.A-CHM MÉNE PENDANT IN FROSTED CLEAR GLASS WITH A CHAMPAGNE ANODISED BODY MP.G-XXX.A-CHM MÉNE PENDANT ML.G-XXX.A-CHM MÉNE TABLE LAMP
LAMPING (TABLE LAMP)	230V - 4W AC LED MODULE, 380 LUMEN PER LIGHT SOURCE. 3000K WARM WHITE, DIMMABLE. 120V - 4W AC LED MODULE, 380 LUMEN PER LIGHT SOURCE. 3000K WARM WHITE, DIMMABLE. ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.	FINISHES	GLASS BLACK (G-BLK) FROSTED BLACK (G-FBK)* CLEAR (G-CLR) FROSTED CLEAR (G-FCL) * TABLE LAMP ONLY BODY CHAMPAGNE ANODISED (A-CHM)
		WEIGHT	10KG / 22LB (PENDANT) 11KG / 24LB (TABLE LAMP)
LED LIFESPAN	50,000 HRS	PACKAGING	L 53CM W 53CM H 45CM / L 1'9" W 1'9" H 1'6" (PENDANT + TABLE LAMP)
CONTROL	THE MÉNE TABLE LAMP COMES SUPPLIED WITH A IN-LINE PUSH DIMMER SWITCH. DIMMING RANGE 10 - 100%	PACKAGING WEIGHT	12KG / 26LB (PENDANT) 13KG / 29LB (TABLE LAMP)
IP RATING	IP20 - FOR INDOOR USE ONLY		
CERTIFICATION	AU/NZ AS/NZS 60598.1, 60598.2.1 EU EN 60598.1, 60598.2.1 US/CAN ETL/UL CERTIFICATION PENDING		

* MÉNE TABLE LAMP ONLY





ROSS GARDAM

PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM

COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.

COPYRIGHT ©2023 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.