


ROSS GARDAM



Volant is a modern chandelier that's almost akin to a kinetic sculpture. A static lamp with an uncanny ability to appear in motion.



Solid brass bars are home to textured, tubular formed-glass elements, angled to give the impression of floating objects revolving around each other. The result is an elegant equilibrium that's at once enthralling yet soothing.

Volant's modular and architectural nature allow the fixture to span across a plethora of interior spaces. The solid brass bars are individually machined with the luminaire defined by a white glass diffuser which is pinned in-place to the solid brass bar. Textured tubular glass elements are balanced on the same pins creating a uniquely formed illumination.









IMAGE /

LEFT / VC212 & VC323 - CLEAR FLUTED / BRUSHED BRASS
RIGHT / VC324 - FROSTED BLACK / BRONZED BRASS
FAR RIGHT / VC324 - FROSTED FLUTED / BRONZED BRASS




IMAGE /

TOP LEFT & RIGHT / VC324 - FROSTED FLUTED / BRONZED BRASS, FROSTED BLACK / BRUSHED BRASS
BOTTOM LEFT & RIGHT / VC324 - FROSTED FLUTED / BRONZED BRASS, FLUTED / BRUSHED BRASS


IMAGE /

VC324 FROSTED BLACK / BLACKENED BRASS







VOLANT CHANDELIER




VC211
 L 1790 W 70 H 100
 L 5'10" W 3" H 4"
 MIN DROP HEIGHT - H 300 / 1'



VC212
 L 1790 W 70 H 100
 L 5'10" W 3" H 4"
 MIN DROP HEIGHT - H 300 / 1'



VC323
 L 1790 W 1790 H 350
 L 5'10" W 5'10" H 1'2"
 MIN DROP HEIGHT - H 550 / 1'10"



VC324
 L 1790 W 1790 H 350
 L 5'10" W 5'10" H 1'2"
 MIN DROP HEIGHT - H 550 / 1'10"






IMAGE /

LEFT / VC333S - FLUTED / BLACKENED BRASS
TOP RIGHT & BOTTOM RIGHT / VC333S - FROSTED FLUTED / BRONZED BRASS, FROSTED BLACK / BLACKENED BRASS




IMAGE /

LEFT & RIGHT / VC333S FLUTED / BRONZED BRASS






VOLANT CHANDELIER - TRIPLE



VC333S
L 1790 W 1570 H 600
L 5'10" W 5'2" H 2"
MIN DROP HEIGHT - H 790 / 1'10"



VC333L
L 1790 W 1570 H 1100
L 5'10" W 5'2" H 3'7"
MIN DROP HEIGHT - H 1290 / 4'3"

IMAGE /

LEFT & RIGHT / VC324 - FROSTED BLACK / BLACKENED BRASS






TECHNICAL VOLANT

AVAILABLE FINISHES

GLASS



BODY



MATERIAL	TREATED BRASS, GLASS	CANOPY	Ø120 X 30MM CEILING CANOPY. CIRCULAR FINISH AND TREATED TO MATCH THE SPECIFIED FINISH OF VOLANT. MOUNTING HOLES TO SUIT STANDARD 4" JUNCTION BOXES FOR THE US/CAN REGION.
FINISH	ALL BRASS FRAMES ARE BRUSHED AND TREATED TO ACHIEVE THE AVAILABLE FINISH OPTIONS, THEN WAXED TO PREVENT ACCELERATED AGING.		
LAMPING	SELV 60V (EXTERNAL DRIVER SUPPLIED) VC333S - 13.2W, 1710-2100 LUMEN, 2700K VC333L - 13.2W, 1710-2100 LUMEN, 2700K WATTAGE AND LUMEN OUTPUT WILL VARY SLIGHTLY DEPENDING ON CONSTANT CURRENT OUTPUT.		OPTIONAL Ø170 X 40MM CEILING CANOPIES ARE AVAILABLE WHEN DRIVERS CANNOT BE HOUSED WITHIN A CEILING/WALL/SITE CAVITY.
220-240V REGIONS	DIMMING OPTIONS · PHASE - DIMMING RANGE 5 - 100% · DALI - DIMMING RANGE 1 - 100%	PRODUCT CODES SKU	EG. VC333L.G-FFL.BR-BLK VOLANT 333L CHANDELIER IN FROSTED FLUTED CLEAR GLASS WITH A BLACKENED BRASS FRAME VC333S.G-XXX.BR-XXX VOLANT 333S CHANDELIER VC333L.G-XXX.BR-XXX VOLANT 333L CHANDELIER
110-120V REGIONS	DIMMING OPTIONS · DALI - DIMMING RANGE 0 - 100% · 0-10V - DIMMING RANGE 0 - 100% · 1-10V - DIMMING RANGE 0 - 100% · PWM - DIMMING RANGE 0 - 100% · RX - DIMMING RANGE 0 - 100% · PUSH DIM - DIMMING RANGE 0 - 100%	FINISHES	GLASS FROSTED BLACK (G-FBL) FLUTED (G-FLU) FROSTED FLUTED (G-FFL) FRAME BRUSHED BRASS (BR-NAT) BLACKENED BRASS (BR-BLK) BRONZED BRASS (BR-BRZ)
	ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.	DIMENSIONS	VARIOUS SEE DIMENSIONS ON FOLLOWING PAGE*
	FOR OPTIMAL DIMMING PERFORMANCE WE RECOMMEND SOURCING A DIMMER CAPABLE OF SETTING THE DIMMING RANGE OF THE FIXTURE.	WEIGHT	VC333S 19KG / 42LB VC333L 20KG / 44LB
	PLEASE CONTACT OUR STUDIO FOR FURTHER INFORMATION REGARDING MOST SUITABLE LAMPING TECHNOLOGY FOR YOUR SPECIFIC PROJECT/REGION.	PACKAGING	VC333S 2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8" VC333L 2 X L 192CM W 37CM H 19CM / L 6'4" W 1'3" H 8"
LED LIFESPAN	50,000 HRS	PACKAGING WEIGHT	VC333S 1 X 16KG / 35LB, 1 X 9KG / 20LB VC333L 1 X 16.5KG / 36.5LB, 1 X 9.5KG / 21LB
IP RATING	IP20 - FOR INDOOR USE ONLY		
CERTIFICATION	AU/NZ AS/NZS 60598.1, 60598.2.1 EU EN 60598.1, 60598.2.1 US/CAN ETL/UL CERTIFICATION PENDING		





ROSS GARDAM

PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM

COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.

COPYRIGHT ©2023 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.